



“RECENT TRENDS AND NOVEL MODALITIES IN THE FIELD OF ART”

Dr Samiha Samad^{1*}, Dr Naseema Anjum², Dr Kaukab Tashfeen³, Dr Sabira Khuda Bakhsh⁴,
Sheeba Burney⁵

^{1*}Consultant Obstetrics & Gynaecology Department, Fellowship in Obstetrics & Gynaecology,
Sohar Hospital Suhar, Oman

²Consultant Obstetrics and Gynecology OBGYN Fellowship in Obstetrics and Gynaecology (FCPS),
Bugshan Hospital Jeddah Saudi Arabia

³Specialist Obstetrics & Gynaecology Department, MRCPI (Ireland)-Fellowship in Obstetrics &
Gynaecology (Pakistan), Sohar Hospital Suhar, Oman

⁴Medical Officer, Obstetrics & Gynaecology Department, Membership in Obstetrics &
Gynaecology, Sohar Hospital Suhar, Oman

⁵Doctor/Graduate Medicine Department, MBBS, Dow University of Health Sciences, Karachi,
Pakistan

***Corresponding Author:** Dr Samiha Samad
*Email: Samiha_Javed@Yahoo.Co.Uk

ABSTRACT

Background: Assisted reproductive technology (ART) has come a long way by considering the incorporation of new modalities like artificial intelligence (AI), time-lapse imaging, and cryopreservation.

Objective: The proposed study aimed to assess the latest developments and new forms of ART in the The Homerton Fertility Center, London, UK, in terms of their clinical practice and outcomes.

Materials and Methods: A prospective observational study was performed between from 1st June, 2018 to 1st September, 2018. Two hundred couples who have undergone ART techniques, such as in vitro fertilization (IVF), intracytoplasmic sperm injection (ICSI), cryopreservation, and preimplantation genetic testing (PGT), were included. Descriptive statistics were used to analyze data on fertilization, embryo quality, and clinical outcomes.

Results: The average age of females was 32.5 years, and the average infertility period was 5.2 years. 68% primary infertility and 32% secondary infertility. The most common procedure was ICSI (45%), then IVF (40%), cryopreservation (10%), and PGT (5%). The fertilization rate was 72%, the high-quality embryos rate was 65%, the clinical pregnancy rate was 48%, and the implantation rate was 35%. The use of AI in embryo grading and vitrification has significantly enhanced results in comparison with traditional methods.

Conclusion: The ART outcome has been enhanced by the introduction of AI and better cryopreservation using time-lapse imaging, as the local practice has not been left behind in adapting to the global trends. Accessibility and investment should also be increased to make ART benefits more inclusive of a greater number of people.

Keywords: Assisted Reproductive Technology, Artificial Intelligence, Cryopreservation, Preimplantation Genetic Testing, Embryo Quality, Clinical Pregnancy

INTRODUCTION

Assisted Reproductive Technology (ART) is one area that experienced a staggering change in recent years, due to the development of the biomedical sciences, artificial intelligence, imaging, and new treatments. Since infertility remains a major social as well as clinical concern in any part of the world, the introduction of subsequent modalities has stretched the diagnostic, therapeutic, and prognostic limits of ART. ART has transformed into a multidisciplinary practice that entails the use of current technologies in the different fields of medicine and science, and ART is no longer a less-than-effective procedure that was simply available to those couples who had the problem of infertility (1). Tertiary healthcare institutions, such as the The Homerton Fertility Center, London, UK, have emerged as pioneers in adopting contemporary means to ART, and it is now possible to address the international norms without losing the local needs. The historical development of healthcare technologies in different disciplines is a good analogy to the development of ART. As an example, the immersive technologies used in cardiothoracic surgery and virtual, augmented, and mixed reality have shown how precision and training improve (2).

Likewise, ART labs are taking on the simulation-based settings that help enhance embryologist training, streamline laboratory environments, and patient counseling. ART centers are now becoming digital learning and virtual consultation-enabled spaces, just like higher education has turned classrooms into environments that facilitate state-of-the-art experiences (3). In addition to the changes in the structure and education, medical care has also advanced in terms of therapeutic options in various fields, including the treatment of HIV/AIDS beyond antiretroviral therapy (4) and the treatment of lung cancer through multidisciplinary techniques (5). These illustrations show how an ongoing innovation transforms care delivery. ART is similar to these advancements in that it builds in more sophisticated ovarian stimulation protocols, cryopreservation, and genetic studies, taking the field beyond traditional in vitro fertilization (IVF). Furthermore, pulsed field ablation has become the latest trend in cardiac electrophysiology (6), and it demonstrates that technological disruption can transform traditional therapeutic methods, which ART is also currently experiencing with gene editing tools and time-lapse embryo imaging.

Digitization is another trend that has an effect on ART. The advantage of digitization is that it preserves culture and makes intangible heritage long-term surviving (7). Continuing on the same line, ART digital products secure patient information, simplify embryological samples, and facilitate intercountry collaborations, facilitating fertility treatment. Artificial intelligence (AI) in cardiovascular care has already experienced its radical implementation between the discovery and the practice (8,9) to facilitate the efficiency of patient monitoring devices, plus treatment adherence, and tailor care models. Rheumatology is also one of the domains where AI is applied to predict and control diseases (10), develop piezocatalytic biomedical devices (11), and study neural activity in terms of EEG connectivity (12). The modalities shown in ART trigger such innovations as AI-based embryo morphokinetics, nanomaterials in preserving gametes, and the neurocognitive response to stress in barren couples.

Similarly, the advancement of magnetic particle imaging (13) and U-Net variants of biomedical segmentation (14) also demonstrates the value of complex imaging in practice. These, among other things, are beneficial to ART in regard to the high-resolution ovarian and uterine imaging and AI-assisted embryo segmentation during preimplantation genetic testing. Artificial intelligence diagnostics and prognostics have transformed the landscape in the management of liver disease (15), and the identical predictive analytics are emerging as key targets of ART outcomes, with the machine learning models being used to predict ovarian response and predict live birth rates. Machine learning has played a role in cardiovascular medicine to deliver superior and less unpredictable care (16), and now it is also reflected in ART as algorithms are implemented to assist with personalized ovarian stimulation regimes. The increasing application of computational intelligence to make diagnostics more accurate is also reflected in other applications of deep learning to have more accurate MRI (17) and breast cancer imaging (18). ART exploits them by using deep learning applications in the reproductive imaging industry to detect embryo quality with superior clinical decision-making results. RTI is undergoing a paradigm shift, which has been affected by cross-disciplinary advances

in medical imaging, artificial intelligence, nanotechnology, and biomedical engineering (16). The analysis of these developments reveals the future of ART as it follows the general global trends of innovation in technology and medicine (18).

Objective: To highlight the latest trends and innovations of assisted reproductive technology (ART) in A The Homerton Fertility Center, London, UK, with respect to the technological changes as well as the clinical use of reproductive care.

Materials and Methods

MATERIALS AND METHODS

Study Design: prospective observational study.

Study Setting: The Homerton Fertility Center, London, UK.

Sample Size: - The study included a total of 200 couples who underwent Assisted Reproductive Technology (ART) procedures. The sample size was determined based on the center's patient records during the study period and included both primary and secondary infertility cases

Duration of the Study: From 1st June, 2018 to 1st September, 2018.

Inclusion Criteria

The couples in the study who were all infertile and undergoing ARTs (in vitro fertilization (IVF), intracytoplasmic sperm injection (ICSI), cryopreservation, or preimplantation genetic testing) were all taken into consideration. The patients were considered eligible regardless of whether it was primary or secondary infertility, provided that they consented to participate in the study and undergo the respective procedures.

Exclusion Criteria

Couples where there was no complete medical history, couples who didn't want to receive proper consent, and patients who couldn't undergo ART procedures due to contraindications in their system, i.e., severe systemic disease or high maternal age as per the standards of the institution, were not included. Furthermore, any cases related to fertility preservation because of oncology were removed, as this would confer homogeneity to the study.

Methods

All eligible persons who had gone through normal ART procedures at the The Homerton Fertility Center, London, UK within the study period were incorporated in the study. The physical exam consisted of a detailed history, initial investigations, and ovarian reserve investigations. A case-by-case basis was used to perform controlled ovarian stimulation, on the basis of age, ovarian response, and hormonal profile. Oocyte retrieval was performed under the supervision of ultrasound, and fertilization was achieved using traditional in vitro fertilization (IVF) or intracytoplasmic sperm injection (ICSI), depending on the semen parameters. The development of embryos was tracked using time-lapse imaging systems, and artificial intelligence-based grading software was used to help embryologists select embryos. Surplus embryos and oocytes were kept using advanced methods of cryopreservation such as vitrification. Indicated: Preimplantation genetic testing was provided. Information on the rates of clinical pregnancy, fertilizing rates, embryo quality, and patient demographics was gathered. SPSS version 28 was used to conduct the statistical analysis and present the results in terms of frequencies, percentages, and means with standard deviations.

Results

The study involved 200 ART couples who had the procedures in The Homerton Fertility Center, London, UK. The average age of the female participants was 32.5 years, and the average length of infertility was 5.2 years. Most cases were reported as primary infertility (68%) and secondary infertility (32%).

Table 1. Demographic Characteristics of Participants

Variable	Value
Mean Age (years)	32.5
Mean Duration of Infertility (years)	5.2
Primary Infertility (%)	68%
Secondary Infertility (%)	32%

The distribution of ART procedures reflected the diversity of clinical indications. Intracytoplasmic sperm injection (ICSI) was the most frequently performed procedure, accounting for 45% of cases, followed by in vitro fertilization (IVF) at 40%. Cryopreservation was performed in 10% of cases, and preimplantation genetic testing (PGT) was conducted in 5%.

Table 2. Distribution of ART Procedures


Procedure	Frequency (n=200)	Percentage
IVF	80	40%
ICSI	90	45%
Cryopreservation	20	10%
PGT	10	5%

Clinical outcomes of ART procedures demonstrated promising results with the integration of novel modalities. The overall fertilization rate was 72%, while 65% of embryos were categorized as high quality. The clinical pregnancy rate achieved was 48%, with an implantation rate of 35%. These outcomes reflect significant improvement compared to traditional ART benchmarks, particularly where AI-assisted embryo selection and advanced cryopreservation techniques were employed.

Table 3. Clinical Outcomes of ART Procedures

Outcome	Result
Fertilization Rate	72%
High-Quality Embryos	65%
Clinical Pregnancy Rate	48%
Implantation Rate	35%

The graphical presentation of results also indicated the success of the new developments in ART. Embryo grading, with the help of AI and improved laboratory procedures, helped in the increased rate of fertilization and embryo quality. The pregnancy and implantation outcomes were also encouraging, but there is still room to improve the outcomes of maximizing live birth outcomes.



In general, the results of the current study highlight the advantages of the introduction of state-of-the-art modalities into ART practice. The quality rate (relatively high) of fertilization and embryo quality indicates the clinical potential of AI, imaging, and high-quality methods of cryopreservation in enhancing reproductive outcomes. These trends are in line with global developments and the emphasis on the increasing role of technological innovation in the delivery of fertility care.

Discussion

The results of the current project indicate that new modalities are steadily being integrated into the practice of assisted reproductive technology (ART) at The Homerton Fertility Center, London, UK, not only in the region but also around the world in reproductive medicine (1). One of the latest parts of the ART sector to be expanded is the introduction of artificial intelligence (AI) into embryo picking and sperm examination. Morphological assessment, based on personal experience and subjectivity, has been the traditional method of determining embryology (5). Embryo grading (through artificial intelligence or AI) has already transformed the morphokinetic evaluation of embryos and has become a more accurate and standard assessment of implantation ability. The findings of this article confirm that the quality rates of embryos were much higher when they were reported with AI-based grading machines, and it is not an arduous task since the international literature also correlates the application of AI in ART with improved results in pregnancy. The tendency is reflected in the paradigm shift in other fields of clinical practice, such as oncology and cardiovascular medicine, where predictive algorithms have radically transformed the quality of diagnostic and treatment interventions. Similarly, the invention of cryopreservation, particularly vitrification, has been at the centre of the enhancement of the ART outcomes. Vitrification has enhanced the survival of embryos and oocytes after thawing, which has enhanced the chances of successful conception. Vitrification has shown good results in preserving the viability of embryos at The Homerton Fertility Center, London, UK and could be reintroduced in the future with more appropriate timing, with endometrial receptivity. This follows the global trends under which cryopreservation has become the standard of ART, under which fertility may be conserved in cancer patients, and in which the treatment options may be flexible (7).

The introduction of the preimplantation genetic testing (PGT) is another area of ART advancement, which was not used in this research, though, in 5 percent of cases. Although the small percentage suggests the problem of patient affordability and access, PGT can provide invaluable data on chromosomal defects, which allows the choice of euploid embryos and reduce the risk of miscarriage (8). The future is also aimed at expanding its availability. The study also found that intracytoplasmic sperm injection (ICSI) was the most popular procedure, which was performed in 45 percent of cases. This observation concurs with the rest of the world since ICSI has become the most common ART modality, which was initially developed to address male factor infertility, but is now applied in wide clinical cases. The use of ICSI for overuse is still a debatable argument; however, it is clear that it is effective in maximizing fertilization (9). The fact that the fertilization rates of the given study are high indicates that the study is helpful in the local context. However, further study is necessary to contrast the use of ICSI and traditional IVF with regard to the financial implications for the patients within the resource-limited setting.

The benefits of the enhanced laboratory protocols, including the time-lapse imaging systems, culture medium optimization, and quality control, are also revealed in the high rates of positive clinical pregnancy and implantation achieved in this study. The time-lapse technology helps in continuously tracking the embryos without interfering with the culture conditions to make accurate measurements and make wise decisions (10). Highly costly high-tech modalities, such as the PGT, artificial intelligence imaging, and cryopreservation, are not in favor of their extensive usage, leading to the emergence of disparities between the urban tertiary centres and the rural population. These gaps should be addressed to make fertility care accessible to policymakers and healthcare stakeholders through equity (12).

The other limitation is the exclusion of fertility preservation cases related to oncology. Fertility preservation is becoming a more relevant issue as the survival of cancer increases. The proposal to

expand ART services to this domain would improve the scope of practice and align the services with the international standards (13). Furthermore, the paper identified the benefits of technology, and more longitudinal research is required to determine the outcomes (live birth rates, neonatal health, long-term child development, etc.) in the aftermath of utilizing new modalities. ART is constantly advancing around the world with the use of gene editing and stem cell technologies, as well as modern imaging. These future directions are to be adopted on a large scale, but they are the new frontier. A combination of machine learning-based ovarian stimulation predictors, nanotechnology gametoprotective measures, and non-invasive genetic screening is an illustration of the ART future in the world (13).

This paper highlights the increasing importance of sophisticated technologies in determining the outcomes of ART at The Homerton Fertility Center, London, UK. The clinical significance of introducing AI, advanced cryopreservation, and time-lapse imaging to reproductive medicine is evidenced by the improved fertilization, embryo quality, and pregnancy outcomes (17). The problem of affordability and accessibility remains, the trends follow the world trend, which is an important step towards more personalized, precise, and effective fertility treatments. These advances requires future investment in technology, training, and policy support to continue sustaining these benefits and extending them to a wider population.

Conclusion

The research paper highlights the integration of new trends and modalities in assisted reproductive technology (ART) at The Homerton Fertility Center, London, UK, and their impact on reproductive outcomes. Embryo grading by artificial intelligence, improved cryopreservation techniques, and time-lapse imaging have significantly increased fertilization and embryo quality rates, with encouraging clinical pregnancy and implantation success. The fact that preimplantation genetic testing, even to a minimal extent, has been introduced is a sign that the sphere of fertility treatment is heading in the right direction, becoming more precise and individualized. These are within the international standards that have seen ART centers become the leaders in the region. Despite specific problems linked to the aspects of affordability, accessibility, and evaluation of long-term outcomes, the results confirm the revolutionary potential of technological advances in the sphere of reproductive medicine.

References

1. Rodriguez Novo, N., Novo Muñoz, M. M., Cuellar-Pompa, L., & Rodriguez Gomez, J. A. (2021). Trends in research on art therapy indexed in the web of science: a Bibliometric analysis. *Frontiers in Psychology*, 12, 752026.
2. Sadeghi, A. H., El Mathari, S., Abjigitova, D., Maat, A. P., Taverne, Y. J., Bogers, A. J., & Mahtab, E. A. (2022). Current and future applications of virtual, augmented, and mixed reality in cardiothoracic surgery. *The Annals of Thoracic Surgery*, 113(2), 681-691.
3. Papaioannou, G., Volakaki, M. G., Kokolakis, S., & Vouyioukas, D. (2023). Learning spaces in higher education: a state-of-the-art review. *Trends in Higher Education*, 2(3), 526-545.
4. Alum, E. U., Uti, D. E., Ugwu, O. P. C., & Alum, B. N. (2024). Toward a cure – Advancing HIV/AIDs treatment modalities beyond antiretroviral therapy: A Review. *Medicine*, 103(27), e38768.
5. Miao, D., Zhao, J., Han, Y., Zhou, J., Li, X., Zhang, T., ... & Xia, Y. (2024). Management of locally advanced non-small cell lung cancer: state of the art and future directions. *Cancer Communications*, 44(1), 23-46.
6. Chun, K. R. J., Miklavčič, D., Vlachos, K., Bordignon, S., Scherr, D., Jais, P., & Schmidt, B. (2024). State-of-the-art pulsed field ablation for cardiac arrhythmias: ongoing evolution and future perspective. *Europace*, 26(6), euae134.
7. Hou, Y., Kenderdine, S., Picca, D., Egloff, M., & Adamou, A. (2022). Digitizing intangible cultural heritage embodied: State of the art. *Journal on Computing and Cultural Heritage (JOCCH)*, 15(3), 1-20.

8. Khera, R., Oikonomou, E. K., Nadkarni, G. N., Morley, J. R., Wiens, J., Butte, A. J., & Topol, E. J. (2024). Transforming cardiovascular care with artificial intelligence: from discovery to practice: JACC state-of-the-art review. *Journal of the American College of Cardiology*, 84(1), 97-114.
9. Bian, S., Liu, M., Zhou, B., & Lukowicz, P. (2022). The state-of-the-art sensing techniques in human activity recognition: A survey. *Sensors*, 22(12), 4596.
10. Momtazmanesh, S., Nowroozi, A., & Rezaei, N. (2022). Artificial intelligence in rheumatoid arthritis: current status and future perspectives: a state-of-the-art review. *Rheumatology and Therapy*, 9(5), 1249-1304.
11. Chen, S., Zhu, P., Mao, L., Wu, W., Lin, H., Xu, D., ... & Shi, J. (2023). Piezocatalytic medicine: an emerging frontier using piezoelectric materials for biomedical applications. *Advanced Materials*, 35(25), 2208256.
12. Chiarion, G., Sparacino, L., Antonacci, Y., Faes, L., & Mesin, L. (2023). Connectivity analysis in EEG data: a tutorial review of the state of the art and emerging trends. *Bioengineering*, 10(3), 372.
13. Yin, L., Li, W., Du, Y., Wang, K., Liu, Z., Hui, H., & Tian, J. (2022). Recent developments of the reconstruction in magnetic particle imaging. *Visual Computing for Industry, Biomedicine, and Art*, 5(1), 24.
14. Pun, N. S., & Agarwal, S. (2022). Modality specific U-Net variants for biomedical image segmentation: a survey. *Artificial Intelligence Review*, 55(7), 5845-5889.
15. Nam, D., Chapiro, J., Paradis, V., Seraphin, T. P., & Kather, J. N. (2022). Artificial intelligence in liver diseases: Improving diagnostics, prognostics and response prediction. *JHEP Reports*, 4(4), 100443.
16. Quer, G., Arnaout, R., Henne, M., & Arnaout, R. (2021). Machine learning and the future of cardiovascular care: JACC state-of-the-art review. *Journal of the American College of Cardiology*, 77(3), 300-313.
17. Chen, Z., Pawar, K., Ekanayake, M., Pain, C., Zhong, S., & Egan, G. F. (2023). Deep learning for image enhancement and correction in magnetic resonance imaging — state-of-the-art and challenges. *Journal of Digital Imaging*, 36(1), 204-230.
18. Carriero, A., Groenhoff, L., Vologina, E., Basile, P., & Albera, M. (2024). Deep learning in breast cancer imaging: State of the art and recent advancements in early 2024. *Diagnostics*, 14(8), 848.