



GYNAECOLOGIC SURGERY AND MINIMALLY INVASIVE TECHNIQUES: IMPROVING PATIENT OUTCOMES IN ONCOLOGY

Meenakshi Pahariya^{1*}, Khoobkala Meena², Priyanka Beniwal³

^{1*}Senior Resident, Obstetrics and Gynaecology, SMS MEDICAL COLLEGE, Jaipur, Rajasthan
Country India E-mail - pahariya.meenakshi36@gmail.com, Onkareshwaram Villa, Nand Vihar
Colony, Vaishali Nagar, Jaipur, Rajasthan

²Medical officer, Medical and Health Department, District Hospital, Aklera, Rajasthan, India E-mail
- khoobkala91089@gmail.com

³ Medical Officer, Medical and Health Department, District Hospital, Laxmangarh, Rajasthan
Country - India E-mail - priyankabenibal92@gmail.com

***Corresponding Author:** Meenakshi Pahariya

¹Senior Resident, Obstetrics and Gynaecology, SMS MEDICAL COLLEGE, Jaipur Rajasthan
Country India E-mail: pahariya.meenakshi36@gmail.com

Abstract

The gynaecologic cancers are a significant health problem worldwide, and surgery is one of the principal modalities of treatment used in the treatment of ovarian, cervical, and endometrial cancers. Minimally invasive surgery (MIS) has been gaining ground in gynaecologic oncology over the last few years, because it has the potential of enhancing the patient's peri- and postoperative experience. The objective of this study was to assess the impact of minimally invasive surgery on the improvement of the patient's recovery, the decrease in surgical problems, and the oncologic effectiveness in the treatment of gynaecologic cancer. A narrative review methodology was used to review and synthesise existing publications concerning minimally invasive gynaecologic oncology procedures (MOPs), robotic-assisted surgery, and the use of enhanced recovery protocols (ERPs) and emerging surgical innovations. To assess the clinical effects of minimally invasive methods on oncology patients, relevant peer-reviewed studies were reviewed. The literature reviewed showed that the minimally invasive surgical techniques resulted in less intraoperative blood loss, shorter hospital stay, decreased postoperative pain, faster recovery, and fewer complications as compared to open surgery. The use of robotically assisted procedures and image-guided interventions further improved the accuracy of surgical procedures and safety during interventions in complex oncologic cases. Furthermore, using Enhanced Recovery After Surgery (ERAS) protocols helped to enhance post-operative recovery and opioid consumption in gynaecologic oncology patients. In general, MIS has proven to be a very successful and patient-centred method in gynaecologic oncology. New and future developments in the surgical field, as well as the integration of several disciplines into the perioperative approach, should lead to even better surgical outcomes and quality of care in gynaecologic cancer management.

Keywords: Gynaecologic oncology, minimally invasive surgery, robotic surgery, enhanced recovery, patient outcomes

1. Introduction

The gynaecologic cancers (ovarian, cervical, and endometrial cancer) continue to be major causes of cancer morbidity and mortality in women globally. Surgical procedures remain a key factor in the diagnosis, staging, cytoreduction, and definitive therapy of gynaecologic oncology. The use of minimally invasive surgical (MIS) techniques in gynaecologic cancer surgery has been growing over recent decades, due to the significant advances in surgical technology and perioperative management that have revolutionized the way gynaecologic cancer is managed (Eskandar, 2024).

Minimally invasive gynaecologic surgery includes such techniques as laparoscopy, robotic surgery, and ultra-minimally invasive surgery that minimize surgical trauma while providing oncologic effectiveness. When compared to standard open laparotomy, MIS techniques involve a smaller incision, less postoperative pain, less blood loss, a shorter hospital stay, and quicker recovery. These advantages have led to the increasing incorporation of minimally invasive techniques into the treatment plans of gynaecologic oncology patients around the globe (Balafoutas & Vlahos, 2024).

Precision-based surgical techniques and strategies have been a focus in recent years, whose goal is to enhance not only survival, but also quality of life for women with gynaecologic cancer. In the field of minimally invasive surgery for complex oncological cases, there are several technological advances, such as the introduction of robotic-assisted surgery, new imaging devices, and the use of advanced lymph nodes mapping, which have made the procedure more feasible and safer. These developments have made it possible for surgeons to conduct very complex procedures with greater accuracy and better post-operative outcomes (Golia D'Auge et al., 2025).

The growth of robotic surgery has continued to further the development of minimally invasive gynaecologic oncology. The robotic systems afford the surgeons greater dexterity, three-dimensional visualization, tremor filtration, and better ergonomics, making complex surgery possible in small spaces, such as the pelvis. With the ongoing advancements in robotic platforms, their potential role in gynaecologic oncology is likely to expand further, enhancing surgical precision and improving clinical outcomes (Park et al., 2023).

Minimally invasive techniques have become more of a focus in the treatment of ovarian cancer, particularly in the staging process, interval debulking surgery, and treatment of select early-disease situations. Currently, there is evidence that minimally invasive techniques could be beneficial in terms of perioperative outcomes in specific patients without compromising oncologic safety (Yang et al., 2025). In addition, modern usage suggests that MIS is increasingly becoming accepted by gynaecologic oncologists, especially for early-stage gynaecologic cancers, and selected cases of advanced disease where surgical planning needs to be individualized (Kremer et al., 2020).

Although these improvements have been made, there are still several clinical and technical difficulties with the use of minimally invasive techniques in gynaecologic oncology. The question remains whether there is enough scientific evidence about the risk of dissemination, the complexity of surgery, the choice of patient, and the long-term oncologic outcomes of tumor dissemination. Gynaecologic cancer surgery is complex, and many factors need to be addressed, including the advantages of minimally invasive techniques, while adhering to oncologic principles for optimal patient care (Lyons et al., 2020).

Moreover, over the past few years, there has been a growing body of literature on the development of ultra-minimally invasive techniques that have the potential of further minimizing operative morbidity and improving postoperative recovery. They are in an emerging field of gynaecologic surgery where outcomes are patient-centered, and the burden of surgery is minimized (La Verde et al., 2022). At the same time, an ongoing surgical trial and innovative studies are constantly influencing the future of gynaecologic oncologic surgery, stressing the importance of an evidence-based assessment of the value of minimally invasive techniques in cancer treatment (Fucina et al., 2025).

There are several review studies that have highlighted the increasing relevance of minimally invasive surgery in gynaecologic cancers and its impact in optimizing the perioperative management,

minimizing the risk of surgical complications, and optimizing postoperative recovery pathways (Scarpelli & Armano, 2022). But doubts about oncologic safety and long-term survival remain that need to be explored and well analysed (Ayoub et al., 2025).

As a result, the present study is directed at assessing the impact of the application of minimally invasive gynaecologic surgical techniques on the outcomes experienced by oncology patients, specifically survival outcomes, perioperative outcomes, and how modern surgical innovations are playing a role in the care of oncology patients.

This study represents various research objectives:

1. To evaluate the impact of minimally invasive surgical techniques on patient outcomes in gynaecologic oncology.
2. To analyse the association between clinical variables and survival outcomes among gynaecologic cancer patients.
3. To assess the current advancements and clinical implications of minimally invasive approaches in gynaecologic oncologic surgery.

2. Methodology

2.1 Study Design

A narrative review research design was used to explore the use of minimally invasive surgical techniques for enhancing patient outcomes in gynaecologic oncology. The review-based approach was chosen to critically review and synthesize available scientific data regarding minimally invasive gynaecologic surgery, oncologic effectiveness, peri-operative outcomes, and recent advances in technology in the management of gynaecologic cancer. The study aimed to review published literature related to: Evaluating published literature discussing laparoscopic surgery, robotic-assisted surgery, enhanced recovery strategies, and emerging innovations in gynaecologic oncology surgery. A qualitative analytical approach was used, aimed at attaining a comprehensive picture of the current situation and implications of minimally invasive gynaecologic oncology. The methodology allowed a comparison of previous studies that explored surgical safety, postoperative recovery, survival rates, alleviation of complications, and enhancement of quality of life for patients with gynaecologic cancer.

2.2 Literature Search Strategy

A literature search was performed to find relevant studies about the effects on patients from a minimally invasive gynecological surgery and oncology. Scientific databases such as PubMed, Scopus, Google Scholar, and Web of Science were searched to retrieve published studies, narrative reviews, systematic reviews, and clinical research articles concerning the topic of the research. Terms used for the literature search include minimally invasive surgery, robot surgery, laparoscopy, patient recovery, oncological outcomes, and enhanced recovery after surgery, along with gynecological cancer and gynecological oncology. Boolean operators such as AND/OR were utilized to narrow down the search process and ensure the literature retrieved is highly relevant. Literature searches were mainly based on recent articles that would reflect contemporary practices and innovations in gynecological oncology surgery.

2.3 Inclusion and Exclusion Criteria

As per the requirement to make sure that the literature used is of high-quality and relevance, certain guidelines were formulated. Articles that looked into minimally invasive techniques in gynaecologic oncology and talked about surgical results, including survival, incidence of complications, postoperative recovery, quality of life, or surgical improvements, were selected for review. Articles that met the criteria of being a narrative review, systematic review, clinical trial, retrospective study, and prospective study that have been published in scholarly journals were selected for this review. No experiments had been carried out on any subject matter other than that relating to gynaecologic oncology and minimally invasive surgery. Any article that was irrelevant to the clinical setting, incomplete, a conference abstract, or written in a language other than English was excluded.

2.4 Data Collection and Organization

Information from the selected studies was analyzed carefully and categorized according to the significant themes associated with gynaecologic oncology surgery. The information regarding the surgical methods used, their oncologic outcomes, safety issues, enhanced recovery approaches, robotic surgery, and other novel technologies was carefully analyzed. Information collected was then categorized under various themes for critical analysis and comparison of different studies. The information related to the clinical practices that showed advantages of minimally invasive surgery was the main focus of discussion in these studies.

2.5 Analytical Approach

A narrative synthesis approach was used to analyze and interpret the data collected through the selected literature review. The review literature underwent a thorough analysis with the objective of identifying common trends, differences, and similarities in terms of the effect of minimally invasive surgery in gynecologic oncology. The analysis was focused on understanding how the techniques associated with minimally invasive surgery had been able to contribute towards improved patient outcomes, including lesser blood loss, shorter hospital stays, lower postoperative pain, faster recovery rates, fewer complications, and improved quality of life. The review further discussed the oncological efficacy and safety of the procedures in comparison to conventional open surgeries.

The most recent innovations and advancements in the field of gynecologic oncology, including robotic surgery, image-guided procedures, precision surgery, and enhanced recovery surgery, among others, were also discussed in detail.

2.6 Reliability and Validity

To maintain the integrity of the review and the scientific validity of the findings, only peer-reviewed sources that have been scientifically validated were used in the review process. In order to make sure that the literature review process is comprehensive and that there is no bias in selecting the articles used for analysis, a number of different sources were used for research purposes. In addition, the inclusion of recent publications and literature reviews made sure that the research content was contemporary and up to date.

3. Results

3.1 Patient and Clinical Characteristics

The literature reviewed consistently showed an increased use of minimally invasive surgical options in the management of gynaecologic malignancies, mainly in the case of ovarian, cervical, and endometrial cancer. In the studies included in the sample, minimally invasive surgery (laparoscopic, robotic-assisted, ultra-minimally invasive) was found to be associated with better perioperative outcomes and greater improvement in postoperative recovery when compared to standard open surgical procedures. Multiple studies have been published showing that minimally invasive gynaecologic oncology surgery decreased intra-operative blood loss, length of hospital stay, and post-operative pain. These results showed a quicker functional recovery and earlier return to normal daily activities in patients who underwent MSI. The other evidence reviewed showed that the use of minimally invasive interventions also added to patient satisfaction and decreased the physical demands of long surgery.

The literature also showed that the improvement in the precision and the visualisation of prostate surgery using robotics contributed to the improvement of the performance of complex gynaecologic oncologic surgery in the limited anatomical space of the pelvis. Robotic platforms proved to be a great help in surgical tasks that require careful dissection and evaluation of lymph nodes, leading to greater efficiency in surgery and decreased surgical stress.

Table 1. Summary of Clinical Benefits of Minimally Invasive Surgery in Gynaecologic Oncology

Clinical Outcome	Observed Findings
------------------	-------------------

Blood Loss	Reduced intraoperative blood loss
Hospital Stay	Shorter hospitalization duration
Postoperative Pain	Lower postoperative pain levels
Recovery Time	Faster return to daily activities
Surgical Trauma	Reduced tissue damage and scarring
Patient Satisfaction	Improved postoperative comfort




Figure 1. Comparative Benefits of Minimally Invasive Surgery in Gynaecologic Oncology

3.2 Surgical Outcomes and Oncologic Effectiveness

The results of the studies reviewed showed that MIS had favourable oncologic results in well-defined women with gynaecologic cancers. Several studies have shown comparable survival rates between minimally invasive surgery and open surgery, especially in early stages of gynaecologic cancer. Minimally invasive techniques were associated with significant perioperative benefits in a well-selected group of patients without affecting oncologic safety. These factors resulted in decreased complication rates and better postoperative results due to improved visualization, decreased tissue trauma, and increased precision during surgical procedures. Minimally invasive techniques for the staging and treatment of ovarian cancer were emphasized in several studies. The literature suggested that MIS was effective for staging surgery and selected cytoreductive surgery and had the potential to decrease surgical morbidity. But the reviewed literature also highlighted that patient selection was a crucial issue that determines the suitability and safety of minimally invasive procedures in advanced disease scenarios.

Table 2. Technological Advancements in Minimally Invasive Gynaecologic Oncology

Technology	Clinical Contribution
Robotic-Assisted Surgery	Improved precision and dexterity
Image-Guided Surgery	Enhanced tumour localization
Advanced Laparoscopy	Better pelvic visualization
ERAS Protocols	Accelerated postoperative recovery
Precision Surgery Techniques	Reduced surgical complications




Figure 2. Representation of Improved Survival Outcomes

3.3 Enhanced Recovery and Postoperative Benefits

In gynaecologic oncology patients who have received minimally invasive surgery, Enhanced Recovery After Surgery (ERAS) protocols were found to be important contributors to improved postoperative outcomes. The reviewed studies confirmed that the implementation of ERAS techniques in conjunction with minimally invasive surgery reduced hospital length of stay, the time to discharge, achieved earlier mobilization and enhanced pain management, and ultimately reduced postoperative opioid consumption. ERAS pathway for minimally invasive surgical pathways yielded better recovery experiences and lower postoperative complication rates for patients. Multiple literature searches also indicated that multidisciplinary perioperative management was a significant factor in achieving improved patient outcomes and facilitating quicker return to normal physiology. The results also showed that the MIS approach had positive effects on postoperative wound complications and decreased the risk of infection compared to conventional, open surgery. These improvements helped to improve patients' overall quality of life in the recovery period.

Table 3. Perioperative Advantages of Minimally Invasive Procedures


Parameter	Minimally Invasive Surgery	Conventional Open Surgery
Incision Size	Small incisions	Large abdominal incision
Recovery Duration	Faster	Longer
Risk of Infection	Lower	Higher
Length of Hospital Stay	Shorter	Longer
Postoperative Mobility	Earlier mobilization	Delayed mobilization

3.4 Technological Advancements in Gynaecologic Oncology Surgery

The research found that the recent technological advances have had a major impact on the development of gynaecologic oncology surgery. In the modern use of oncology, robotic-assisted systems, image-guided surgical systems, and precision-based surgical interventions are increasingly included. Reported benefits included greater accuracy during the procedure and enhancing multidisciplinary therapy approaches in complex gynaecologic cancer patients with image-guided tumour ablation and advanced surgical navigation systems. Further, ultra-minimally invasive procedures were shown to be promising methods to decrease operative trauma and improve postoperative recovery. Other studies have identified cost optimization strategies and technological refinement as important aspects for the future growth of minimally invasive gynaecologic oncology. The evidence reviewed indicated that the potential advantages of reduced hospitalisation, fewer complications, and quicker recovery could be benefits for the long-term efficiency of health care use, even though the initial investment in a robotic platform is higher.

Table 4. Major Areas of Application of Minimally Invasive Surgery in Gynaecologic Oncology

Gynaecologic Cancer Type	Surgical Application
Ovarian Cancer	Staging and cytoreductive procedures
Cervical Cancer	Radical hysterectomy
Endometrial Cancer	Laparoscopic hysterectomy
Pelvic Malignancies	Minimally invasive pelvic exenteration

**Figure 3. Emerging Technologies in Gynaecologic Oncology Surgery**

In summary, the evidence reviewed here suggested that minimally invasive surgical techniques have a large impact on the peri- and postoperative outcomes for gynaecologic oncology patients. The results showed that the minimally invasive techniques resulted in fewer surgical complications, shorter in-hospital stay, quicker recovery, greater patient comfort, and good oncologic results among some patients. The use of robotic-assisted technologies, ERAS protocols, and precision-based surgical innovations further improved the effectiveness and safety of minimally invasive gynaecologic oncology procedures. Although there are clinical and technological difficulties, the studies reviewed here reflect the increasing prominence of minimally invasive surgery as an integral part of today's cancer treatment for women.

4. Discussion

Minimally invasive surgery has revolutionised gynaecologic oncology, bringing a new model of surgery that places the patient at the centre of the treatment and maximises the oncologic outcomes. As increasingly laparoscopic and robotic-assisted surgery is integrated into gynaecologic cancer care, the drive towards achieving reduced surgical morbidity and optimal patient outcomes is growing. The literature consolidated showed that the minimally invasive techniques had a significant impact on the improvement of the perioperative care, postoperative recovery, and quality of life of the patients in gynaecologic oncology.

Minimally invasive surgery (MIS) has been significantly related to fewer intraoperative complications and death risk in the case of gynaecologic cancer treatment, when compared to more invasive surgical methods. Surgery has evolved and improved in laparoscopy and robotic-assisted surgery to allow for a more complex and precise oncologic surgery, with minimal tissue trauma and less perioperative morbidity (Behbehani et al., 2020). In gynaecologic oncology, the benefits of these are even more significant because often the surgery involves large areas of the pelvis and the recovery time is long, with a high risk of postoperative complications.

The utilization of enhanced recovery after surgery (ERAS) has also enhanced the efficacy of MGS, with better perioperative management and patient recovery. Overall, comprehensive ERAS protocols with targeted pain management, early mobilization, nutritional intervention, and less dependence on opioids have proven to be very beneficial for postoperative outcomes in gynaecologic oncology

patients (Bisch & Nelson, 2022). ERAS protocols, in conjunction with minimally invasive surgical techniques, have thus become an integral part of current gynaecologic cancer treatment.

Minimally invasive surgery is of great benefit in decreasing the length of a hospital stay and postoperative pain, in addition to the improved recovery pathway. Faster hospital discharge and re-entry to normal activities not only enhances patients' quality of life but also reduces the burden and use of healthcare resources. Increased patient satisfaction and reduced physical and psychological stress after oncologic surgery have also been linked to better outcomes with enhanced recovery strategies in MIGS (Chao et al., 2022).

Another important field of development in the treatment of gynaecologic oncology surgery is safety optimization. Minimally invasive surgical access and new lymphadenectomy techniques have helped to minimize surgical complications and achieve better surgical results in gynaecologic cancer surgery (Chimenea & Calderón, 2025). These developments are important to the increasing importance of minimally invasive surgery in the management of the complex anatomical and oncologic problems of gynaecologic cancers.

Patient-centred outcome measures have become more and more important in gynaecologic oncology research, especially in relation to postoperative recovery and quality of life. Using validated assessment tools, it was shown that the patients undergoing minimally invasive surgery under ERAS had more favourable postoperative experiences and functional recovery with these methods (Ferraioli et al., 2020). The results of such studies emphasize the need for integration of the latest surgical procedures with the multidisciplinary management of perioperative care to provide the best possible oncology patient care.

In the last few years, there has also been a significant advancement in the use of minimally invasive surgery in very complex oncologic surgical procedures. Although more challenging, minimally invasive pelvic exenteration is feasible and safe in certain gynaecologic malignancy patients (Karkia et al., 2022). These cutting-edge techniques demonstrate ongoing improvements in surgical skills and technology in gynaecologic oncology.

Technological advances have also helped to advance the image-guided and interventional oncology methods in the care of women with gynaecologic cancer. Image-guided tumour ablation and precision-targeted interventions have improved the outcomes for the treatment of recurrent and inaccessible malignancies, reduced surgical trauma, and increased clinical effectiveness (Moynagh et al., 2021). All of these approaches represent a new paradigm in cancer care that is more multi- or precision-based, designed to enhance oncologic outcomes and patient safety.

A reduction of opioid consumption after surgery has become more and more a goal in surgical oncology. Increased recovery programs have been linked to substantial decreases in opioid use after minimally invasive gynaecologic surgery and other oncologic surgeries, such as hysterectomy (Weston et al., 2020). By decreasing opioid dependence, patients will experience fewer medication-related complications and better recovery following surgery and/or improved patient well-being.

The costs are another important factor in the greater acceptance of minimally invasive gynaecologic surgery. While the up-front procedural costs are typically higher with robotic-assisted technologies or advanced minimally invasive systems, these can be optimised to show potential for long-term savings for healthcare systems, due to fewer complications, shorter hospitalisation, and quicker patient recovery (Youssef et al., 2022). This explains why the clinical and economic benefits of minimally invasive techniques in gynaecologic oncology are increasing, due to their efficiency in the use of valuable resources and better outcomes.

The synergy between the minimally invasive surgical approach and the rest of the implemented enhanced recovery protocols has also been highlighted in recent literature and has been useful in improving clinical outcomes and overall care for the patient. Perioperative optimization combined with surgical innovation has been linked with functional recovery, lower rates of postoperative complications, and improved patient satisfaction in gynaecologic oncology populations of patients (Vazquez et al., 2025). They suggest an evolution in modern gynaecologic oncology towards personalized treatment, less invasive, and recovery-driven

On the whole, MIS approaches have shown themselves to be highly promising in numerous applications in gynaecologic oncology. The introduction of robotic surgery, precision-guided techniques, and advances in recovery procedures and perioperative care have all contributed to increasing the safety of the procedure and optimizing patients' post-surgery experience. With further developments in minimally invasive gynaecologic oncology, the field is expected to become even more sophisticated in terms of new concepts, multi-disciplinary approaches, and evidence-based application of minimally invasive strategies.

5. Conclusion

Minimally invasive surgery in the area of gynaecologic oncology is considered a major paradigm shift in how surgical procedures in this area are carried out. This has not only made surgery efficient and effective but also provided patients with better results as well. The use of laparoscopic techniques and robotic-assisted surgery has helped minimise postoperative pain, reduce surgical trauma, shorten recovery time, and help patients stay in the hospital for less time following the surgery on their gynaecologic cancers. Overall, minimally invasive surgery has proven to provide good patient-centred outcomes in gynaecologic cancer patients and good oncologic safety and efficacy where necessary. The increased use of minimally invasive surgical approaches in addition to the ERAS programme has ensured faster recovery rates and a reduction of the complication rate in patients undergoing surgical treatment of gynaecologic cancers. With technological innovation through robotics, image-guided procedures, and advanced lymphadenectomy procedures, surgeons can increase the precision of surgery while minimally invasive options become available in more complex oncologic cases. The low usage of opioids in the postoperative period and high quality of life among the patients who underwent gynaecologic oncological surgery show additional benefits of minimally invasive surgeries in addition to their surgical benefits. Though there are several issues to consider, like procedural costs, technical difficulties, and appropriate patient selection, minimally invasive procedures are indicated in the area of gynaecologic oncology according to the literature and should be used more widely. Through the advancements in surgical technologies, multidisciplinary perioperative team effort, and evidence-based treatment approaches, it has become possible to ensure better patient recovery and management of patients. In the future, minimally invasive gynaecologic oncologic treatments will gain greater safety, accessibility, and effectiveness around the globe due to the continuing advancement in robotic surgery technology, precision, and personalized oncologic treatments.

References

1. Ayoub, N. L., Shin, R., Tseng, J., & Francoeur, A. A. (2025). Minimally invasive surgery in gynecologic oncology: a narrative review of controversies and clinical implications. *Gynecology and Pelvic Medicine*, 8.
2. Balafoutas, D., & Vlahos, N. (2024). The role of minimally invasive surgery in gynaecological cancer: An overview of current trends. *Facts, Views & Vision in ObGyn*, 16(1), 23.
3. Behbehani, S., Suarez-Salvador, E., Buras, M., Magtibay, P., & Magrina, J. (2020). Mortality rates in benign laparoscopic and robotic gynecologic surgery: a systematic review and meta-analysis. *Journal of Minimally Invasive Gynecology*, 27(3), 603-612.
4. Bisch, S. P., & Nelson, G. (2022). Outcomes of enhanced recovery after surgery (ERAS) in gynecologic oncology: a review. *Current Oncology*, 29(2), 631-640.
5. Chao, L., Lin, E., & Kho, K. (2022). Enhanced recovery after surgery in minimally invasive gynecologic surgery. *Obstetrics and Gynecology Clinics*, 49(2), 381-395.
6. Chimenea, A., & Calderón, A. M. (2025). Enhancing Safety in Gynecologic Surgery: Innovative Access and Lymphadenectomy Techniques to Reduce Complications. *Complications*, 2(1), 8.
7. Eskandar, K. (2024). Advancements in gynecology: A comprehensive review of emerging research and innovations. *Journal of Medical and Clinical Nursing Studies*, 1-12.
8. Ferraioli, D., Pouliquen, C., Jauffret, C., Charavil, A., Blache, G., Faucher, M., ... & Lambaudie, E. (2020). EVAN-G score in patients undergoing minimally invasive gynecology oncologic

- surgery in an Enhanced Recovery After Surgery (ERAS) program. *International Journal of Gynecological Cancer*, 30(12), 1966-1974.
9. Ferraioli, D., Pouliquen, C., Jauffret, C., Charavil, A., Blache, G., Faucher, M., ... & Lambaudie, E. (2020). EVAN-G score in patients undergoing minimally invasive gynecology oncologic surgery in an Enhanced Recovery After Surgery (ERAS) program. *International Journal of Gynecological Cancer*, 30(12), 1966-1974.
 10. Fucina, S., Reato, C., Del Fabro, A., Occhiali, T., Lucia, E., Martella, L., ... & Ditto, A. (2025). The future of gynecologic oncologic surgery: a narrative review of current surgical trials. *Journal of Gynecologic Oncology*, 37.
 11. Golia D'Auge, T., De Angelis, E., Cuccu, I., Lagana, A. S., Etrusco, A., Di Donato, V., ... & Giannini, A. (2025). Precision and progress: minimally invasive surgery in gynaecologic cancer treatment. *ITALIAN JOURNAL OF GYNAECOLOGY & OBSTETRICS*, 37(1), 43-54.
 12. Karkia, R., Tailor, A., Ellis, P., Madhuri, T., Scala, A., Read, J., ... & Chatterjee, J. (2022). Minimally invasive pelvic exenteration for gynaecological malignancy: a single-centre case series and review of the literature. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 274, 56-61.
 13. Kremer, K. M., Lee, J., Carlson, M. J., Lococo, S. J., Miller, D. S., & Lea, J. S. (2020). Practice patterns using minimally invasive surgery for the treatment of ovarian cancer: a survey of physician members of the Society of Gynecologic Oncologists. *Gynecologic Oncology Reports*, 33, 100617.
 14. La Verde, M., Riemma, G., Tropea, A., Biondi, A., & Cianci, S. (2022). Ultra-minimally invasive surgery in gynecological patients: a review of the literature. *Updates in surgery*, 74(3), 843-855.
 15. Lyons, Y. A., Stephan, J. M., Bosquet, J. G., & Goodheart, M. J. (2020). Gynecologic oncology: challenges of minimally invasive surgery in a field of maximal complexities. *Clinical obstetrics and gynecology*, 63(1), 30-39.
 16. Moynagh, M. R., Dowdy, S. C., Welch, B., Glaser, G. E., Schmitz, J. J., Jatoi, A., ... & Kumar, A. (2021). Image-guided tumor ablation in gynecologic oncology: review of interventional oncology techniques and case examples highlighting a collaborative, multidisciplinary program. *Gynecologic oncology*, 160(3), 835-843.
 17. Park, J., Bak, S., Song, J. Y., Chung, Y. J., Yuki, G., Lee, S. J., ... & Kim, M. R. (2023). Robotic surgery in gynecology: the present and the future. *Obstetrics & gynecology science*, 66(6), 518-528.
 18. Scarpelli, E., & Armano, G. (2022). Minimally invasive surgery in gynecological cancers: update and systematic review.
 19. Vazquez, E. F. O., Victoria, J. C. L., López, G. A. C., Tapia, E. C. H., Acosta, F. I. M., & Namcela, S. D. R. P. (2025). Minimally invasive gynecologic surgery and enhanced recovery and outcomes: a literature review. *Cureus*, 17(5).
 20. Weston, E., Noel, M., Douglas, K., Terrones, K., Grumbine, F., Stone, R., & Levinson, K. (2020). The impact of an enhanced recovery after minimally invasive surgery program on opioid use in gynecologic oncology patients undergoing hysterectomy. *Gynecologic oncology*, 157(2), 469-475.
 21. Yang, R., Gao, J., Cheng, Y., Lu, C., & Li, J. (2025). Roles of minimally invasive techniques in the management of epithelial ovarian cancer. *Oncology Letters*, 31(2), 65.
 22. Youssef, Y., Afaneh, H., & Borahay, M. A. (2022). Strategies for cost optimization in minimally invasive gynecologic surgery. *JSLs: Journal of the Society of Laparoscopic & Robotic Surgeons*, 26(3), e2022-00015.